



# WHO WE ARE

With over 25 years of professional expertise, we are committed to delivering complete washroom equipment solutions featuring innovative design, superior performance and reliable quality, serving customers worldwide.

## Our Mission:

Committed to supplying hygienic, comfortable and elegant washroom solutions for all world.

## Our Vision:

To be the pioneer and leader in commercial washroom equipment.

## Our Values:

With the philosophy of Customer Oriented, create value for global customers;

Adhere to mutual benefit and win-win cooperation;

Improve everything we do continuously, keep moving forward;

Insist on teamwork and team development;

Shoulder social responsibilities, do the right thing;

Embrace changes, arm ourselves with science and technology.

# HOTEC

# WHAT WE OFFER

As one of the leading washroom equipment suppliers in China, Hotec is committed to providing hygienic, comfortable, and elegant solutions to public washrooms.

To this end, we have developed over 300 products of good design, premium quality, and high value to meet the expectations of our customers.

## RESTROOM EQUIPMENTS



HAND DRYERS  
TAMPONS & PADS DISPENSERS  
AUTOMATIC FAUCETS  
SOAP DISPENSERS  
PAPER TOWEL DISPENSERS  
GRAB BARS  
BABY CHANGING STATIONS  
URINAL SCREENS  
URINAL MATS

## TOILET ACCESSORIES



JUMBO PAPER DISPENSERS  
TOILET TISSUE DISPENSERS  
TOILET BRUSH HOLDER  
ACCESSORIES

## BATHROOM ACCESSORIES



SHOWER SEATS  
SHAMPOO & BODY DISPENSERS  
HAIR DRYERS



# WHAT WE DO

At Hotec, we don't just supply products, we deliver complete washroom solutions tailored to your specific needs.

Our global customer-centric approach includes:



## Customized Solutions

From design consultation to product modification, we work closely with you to develop bespoke solutions that align with your brand identity, space requirements, and budget constraints.



## Reliable Supply Chain

With our state-of-the-art manufacturing facilities and efficient logistics network, we ensure timely delivery and consistent quality across all your orders, no matter the size.



## End-to-End Support

Our dedicated team provides seamless service throughout the entire partnership. From pre-sales technical advice and product training to after-sales maintenance and warranty support, we are committed to your success.



## Long-Term Partnership

We believe in building sustainable, win-win relationships. Our flexible business models, competitive pricing, and commitment to mutual growth make us your ideal long-term partner in the commercial washroom industry.

With over 25 years of profound experience shaping the industry, we have built a comprehensive industrial chain spanning R&D, design, manufacturing, quality control, and global marketing—enabling us to deliver reliable, high-performance washroom solutions to collective clients across worldwide.

We offer versatile washroom solutions suitable for a full range of public and commercial scenarios.



Airport & subway



Shopping mall



Hospital




Restaurant



Health & Wellness centres



Office



Hotel



School & Colleges



Factory

# NEW HAND DRYERS

## Smart Filter Replacement Alert

Intelligent detection with LED indicator reminds you when to replace the filter.

## Dual Filtration System

Combines a pre-filter and H13 HEPA filter to physically filter 99.9% of dust and bacteria.

## Tool-Free HEPA Replacement Design

The filter can be easily and quickly replaced, no tools required.

## Safe & Secure

Automatic power-off function ensures maximum safety during filter replacement.



**11.401**

material: ABS/304 stainless steel

finish: White/Black/Satin/Bright

Voltage	AC 110-240V, 50/60Hz
Motor	Brushless motor / Brush motor
Filter	HEPA
Total Power	1800W
Motor Power	550W
Heating Element Power	1250W
Air Velocity	85m/s
r.p.m.	20000
Drying Time	10-15s
Noise Level	<78dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	30s

Products Size	252x219x134mm
---------------	---------------



H13 Intelligent Filter



Low Carbon Engine



Low Noise



Brushless Motor



Local Air Sterilisation



UV-C Light Disinfection



Voltage	AC 220-240V, 50/60Hz
Motor	Brushless motor
Filter	HEPA
Total Power	1000W
Motor Power	95W
Heating Element Power	905W
Air Velocity	90m/s
r.p.m.	80000
Drying Time	10-15s
Noise Level	65dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	25s

Products Size	255x170x100mm
Weight (empty)	1.8kgs
Packing	12pcs/ctn
Measurement	64x53x53.5cm



**11.405**

material: 304 stainless steel

finish: satin



**11.114**

material: 304 stainless steel

finish: satin

Voltage	AC 220-240V, 50/60Hz
Motor	Brushless motor / Brush motor
Filter	HEPA
Total Power	2000W / 1650-2000W
Motor Power	1100W / 750-1100W
Heating Element Power	900W
Air Velocity	83m/s
r.p.m.	19000-20000
Drying Time	5-10s
Noise Level	<72dB (at 1m)
Protection Level	IPX4
Electrical Isolation	Class I
Automatic Disconnection	25s

Products Size	695x295x222mm
Weight (empty)	12.5kgs / 11.5kgs
Packing	1pcs/ctn
Measurement	80x30x37.5cm

# HAND DRYERS



**11.101**  
material: ABS  
finish: white

**11.101.B**  
material: ABS  
finish: black

**11.102**  
material: ABS  
finish: silver grey

Voltage	AC 220-240V, 50/60Hz
Motor	Brushless motor / Brush motor
Filter	HEPA (option)
Total Power	1650-1850W / 1900W
Motor Power	750W / 900W
Heating Element Power	1000W
Air Velocity	95m/s
r.p.m.	20000
Drying Time	9-12s
Noise Level	<72dB (at 1m)
Protection Level	IPX4
Electrical Isolation	Class I / Class II
Automatic Disconnection	25s

Products Size	685x300x220mm
Weight (empty)	12.5kgs / 11.5kgs
Packing	1pcs/ctn
Measurement	72.5x35.5x28.5cm

Voltage	AC 220-240V, 50/60Hz
Motor	Brushless motor / Brush motor
Filter	HEPA
Total Power	1000-1300W / 1050-1450W
Motor Power	450-750W / 900W
Heating Element Power	550W
Air Velocity	75-110m/s / 90-135m/s
r.p.m.	11000-20000
Drying Time	9-12s
Noise Level	65-78dB (at 1m)
Protection Level	IPX4
Electrical Isolation	Class I
Automatic Disconnection	25s

Products Size	615x318x185mm
Weight (empty)	12.5kgs / 11.5kgs
Packing	1pcs/ctn
Measurement	67x36x24.5cm



**11.103**  
material: ABS  
finish: white

**11.104**  
material: ABS  
finish: silver grey

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Filter	HEPA (option)
Total Power	1800W
Motor Power	750W
Heating Element Power	1050W
Air Velocity	75m/s
r.p.m.	20000
Drying Time	9-12s
Noise Level	<75dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	30s

Products Size	650x292x250mm
Weight (empty)	10kgs
Packing	1pcs/ctn
Measurement	70.6x35.7x32cm



**11.105**  
material: ABS  
finish: white

**11.106**  
material: ABS  
finish: silver grey



**11.109**  
material: ABS  
finish: white

**11.110**  
material: ABS  
finish: silver grey

Voltage	AC 220-240V, 50/60Hz
Motor	Brushless motor / Brush motor
Filter	HEPA
Total Power	1300-1800W / 1600-2000W
Motor Power	500-700W / 1000-1200W
Heating Element Power	800-1100W / 600-800W
Air Velocity	85-105m/s
r.p.m.	21500
Drying Time	9-12s
Noise Level	<68dB (at 1m)
Protection Level	IPX4
Electrical Isolation	Class I
Automatic Disconnection	30s

Products Size	566x296x164mm
Weight (empty)	7kgs
Packing	1pcs/ctn
Measurement	60.5x35x24cm



# HAND DRYERS



**11.231**  
finish:  
ABS White



**11.232.W**  
finish:  
cast iron White



**11.232.B**  
finish:  
cast iron Black



**11.233.B**  
finish:  
304 stainless steel bright



**11.233.S**  
finish:  
304 stainless steel satin



**11.233.PB**  
finish:  
PVD gun metal



**11.233.PG**  
finish:  
PVD golden

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Filter	HEPA (option)
Total Power	1800W
Motor Power	550W
Heating Element Power	1250W
Air Velocity	85m/s
r.p.m.	20000
Drying Time	10-15s
Noise Level	<78dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	30s

Products Size	291x221x152mm
Packing	4pcs/ctn
Measurement	55x36x45.5cm

## COMPONENTS & MATERIALS

- The cover fixed to the base with four vandal-proof lock screws and a special holder.
- Universal brush motor incorporating a safety thermal cut-off.
- Aluminium centrifugal double inlet fan wheel.
- Element incorporates a safety thermal cut-off.
- Selective detection of fixed targets and system of automatic disconnection after 60 seconds of continuous use.
- Electronic infrared detection sensor. Detection distance adjustable by potentiometer(5-20cm).
- HEPA filter media filter that filters the solid particles in suspension significantly improving air quality.
- Available in different coloured PVD finishes for a smart washroom look.



Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Filter	HEPA (option)
Total Power	1800W
Motor Power	550W
Heating Element Power	1250W
Air Velocity	85m/s
r.p.m.	20000
Drying Time	10-15s
Noise Level	<78dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	30s

Products Size	291x221x190mm
Packing	4pcs/ctn
Measurement	55x36x45.5cm

## COMPONENTS & MATERIALS

- The cover fixed to the base with four vandal-proof lock screws and a special holder.
- Universal brush motor incorporating a safety thermal cut-off.
- Aluminium centrifugal double inlet fan wheel.
- Element incorporates a safety thermal cut-off.
- Selective detection of fixed targets and system of automatic disconnection after 60 seconds of continuous use.
- Electronic infrared detection sensor. Detection distance adjustable by potentiometer(5-20cm).
- HEPA filter media filter that filters the solid particles in suspension significantly improving air quality.
- Available in different coloured PVD finishes for a smart washroom look.



**11.241**  
finish:  
ABS White



**11.242.W**  
finish:  
cast iron White



**11.242.B**  
finish:  
cast iron Black



**11.243.B**  
finish:  
304 stainless steel bright



**11.243.S**  
finish:  
304 stainless steel satin



**11.243.PB**  
finish:  
PVD gun metal



**11.243.PG**  
finish:  
PVD golden

# HAND DRYERS



**11.251**  
finish:  
ABS White

**11.252.W**  
finish:  
cast iron White

**11.252.B**  
finish:  
cast iron Black

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Filter	HEPA (option)
Total Power	1800W
Motor Power	550W
Heating Element Power	1250W
Air Velocity	85m/s
r.p.m.	20000
Drying Time	10-15s
Noise Level	<78dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	30s
Products Size	320x221x190mm
Packing	4pcs/ctn
Measurement	55x36x45.5cm

## COMPONENTS & MATERIALS

- The cover fixed to the base with four vandal-proof lock screws and a special holder.
- Universal brush motor incorporating a safety thermal cut-off.
- Aluminium centrifugal double inlet fan wheel.
- Element incorporates a safety thermal cut-off.
- Selective detection of fixed targets and system of automatic disconnection after 60 seconds of continuous use.
- Electronic infrared detection sensor. Detection distance adjustable by potentiometer(5-20cm).
- HEPA filter media filter that filters the solid particles in suspension significantly improving air quality.
- Available in different coloured PVD finishes for a smart washroom look.



**11.253.B**  
finish:  
304 stainless steel bright



**11.253.S**  
finish:  
304 stainless steel satin



**11.253.PB**  
finish:  
PVD gun metal



**11.253.PG**  
finish:  
PVD golden



**11.221.W**  
material: cast iron  
finish: white enamelled coating



**11.221.B**  
material: cast iron  
finish: black enamelled coating



**11.222**  
material: 304 stainless steel  
finish: bright



**11.223**  
material: 304 stainless steel  
finish: satin



**11.224.W**  
material: cast iron  
finish: white enamelled coating



**11.224.B**  
material: cast iron  
finish: black enamelled coating



**11.225**  
material: 304 stainless steel  
finish: bright



**11.226**  
material: 304 stainless steel  
finish: satin

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Filter	HEPA (option)
Total Power	2300W
Motor Power	250W
Heating Element Power	2050W
Air Velocity	>23m/s
r.p.m.	6200
Drying Time	28s
Noise Level	<78dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	30s
Products Size	280x245x215mm
Packing	2pcs/ctn
Measurement	56x32.5x27.5cm

## COMPONENTS & MATERIALS

- Weld-free cover fixed to the base with two vandal-proof lock screws.
- Universal brush motor incorporating a safety thermal cut-off.
- Aluminium centrifugal double inlet fan wheel.
- Element incorporates a safety thermal cut-off.
- Electronic infrared detection sensor. Detection distance adjustable by potentiometer(5-20cm).
- 360° revolving nozzle in chrome-plated zamak.

# HAND DRYERS



**11.261**

Material: ABS  
finish: white



**11.262/11.263**

material: 304 stainless steel  
finish: bright / satin

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Total Power	1650W
Motor Power	60W
Heating Element Power	1600W
Air Velocity	>11m/s
r.p.m.	2500
Noise Level	<70dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	60s

Product size	282x225x147mm (11.261) 282x225x160mm (11.262/11.263)
Packing	6 pc/ctn
Measurement	48x31x47cm(11.261) 52.5x31.5x48.5cm(11.262/11.263)



**11.281**

material: cast iron  
finish: white enameled coating



**11.282/11.283**

material: 304 stainless steel  
finish: bright / satin

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Total Power	1800W
Motor Power	650W
Heating Element Power	1200W
Air Velocity	>85m/s
r.p.m.	20000
Noise Level	<78dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	60s

Product size	325x295x171mm
Packing	2pcs/ctn
Measurement	45.5x35x38cm



**11.271**

Material: ABS  
finish: white



**11.272/11.273**

material: 304 stainless steel  
finish: bright / satin

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Total Power	2100W
Motor Power	150W
Heating Element Power	1980W
Air Velocity	>20m/s
r.p.m.	5000
Noise Level	<75dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class I
Automatic Disconnection	60s

Product size	265x245x207mm
Packing	4pcs/ctn
Measurement	55.6x30.3x49.3cm



**11.301**

Material: ABS  
finish: white



**11.302**

Material: ABS  
finish: white

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Total Power	1200W
Air Velocity	>12m/s
Noise Level	<70dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class II
Automatic Disconnection	60s
Products Size:	267x182x120mm
Packing	10pcs/ctn
Measurement	66x29x39cm

Voltage	AC 220-240V, 50/60Hz
Motor	Brush motor
Total Power	1800W
Air Velocity	>11m/s
Noise Level	<70dB (at 1m)
Protection Level	IPX1
Electrical Isolation	Class II
Automatic Disconnection	60s
Products Size:	250x238x230mm
Packing	4pcs/ctn
Measurement	51x27.5x51cm

The mountain stands there,  
Reaching high into the clouds.  
The water is at his feet,  
Rippling with the wind,  
As if pleading with him,  
Yet he remains proudly still.

— West Lake Impromptu  
Rabindranath Tagore, *Written in 1924, Hangzhou, China*

**HOTEC**

Email: [hotec@cncotec.com](mailto:hotec@cncotec.com)

<https://www.cncotec.com/>



website



whatsapp

\*All product sizes and colours prevail in kind, subject to change without notice.